



# HAMILTON

**FOSFA**  
INTERNATIONAL



AB 079

## TEST REPORT NO 193828/26/GDY

|                                                                                                                                                                                           |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Client</b><br>ARONIA CHARLOTTENBURG SRL<br>2 Ap. BIR. 2 307073 CHARLOTENBURG<br><b>ordered by:</b><br>J.S. HAMILTON ROMANIA SRL<br>Street Sfântul Iosif, Number 7<br>307160 Dumbravita |            | <b>Sample (according to declaration of Client)</b><br>Sample description: ALA_ALPHALIPOICACID 600 MG<br><br>DATA FABRICATIEI: 10.2025<br>DATA EXPIRARII: 10.2028<br>NUMAR LOT: LA20251026<br>DATA RECOLTARII: 04.03.2026<br>CANTITATE RECOLTATA: 200 G<br>CANTITATE RECEPTIONATA: 198 G<br>DATA RECEPTIEI PROBEI IN LABORATORUL DIN ROMANIA: 04.03.2026<br>ORA RECEPTIEI PROBEI: 14:00<br>DATA INREGISTRARII PROBEI: 04.03.2026<br>TEMPERATURA PROBEI LA RECEPTIE: 18°C<br>RESPONSABIL PRELEVARE: LELIA-MARIA ZABLAU<br>NUMAR COMANDA CLIENT/ DATA COMANDA CLIENT: -/04.03.2026 |  |
| Sample reception date                                                                                                                                                                     | 06.03.2026 | Sample number: 193798/26/DUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| Start of analysis                                                                                                                                                                         | 09.03.2026 | Sample status: no objections                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| End of analysis                                                                                                                                                                           | 12.03.2026 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
| Test report date                                                                                                                                                                          | 12.03.2026 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|                                                                                                                                                                                           |            | Sample received from the Client                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |

| Test Method                                                      | Unit  | Result                                                                                                                                           |
|------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Organoleptic testing (1 assessor)<br>PB-591 ed. I of. 05.05.2025 |       |                                                                                                                                                  |
| Appearance before preparation                                    | -     | typical for the product, capsules aligned in terms of size and shape, glossy surface, dry, inside the capsules visible fine particles and powder |
| Colour before preparation                                        | -     | capsules- colourless; particles and powder- light yellow                                                                                         |
| Texture before preparation                                       | -     | capsules- flexible, slightly hard, powder- loose, without any lumps                                                                              |
| Odour before preparation                                         | -     | typical for the product, without any foreign odours                                                                                              |
| * Net weight of 1 pcs<br>PB-281 ed. IV of 11.01.2021             | g     | 0,717 (min. 0,699; max. 0,742)                                                                                                                   |
| * Content of elements<br>PN-EN 15763:2010                        |       |                                                                                                                                                  |
| Lead (Pb)                                                        | mg/kg | < 0,010                                                                                                                                          |
| Arsenic (As)                                                     | mg/kg | < 0,010                                                                                                                                          |
| Cadmium (Cd)                                                     | mg/kg | < 0,0010                                                                                                                                         |
| Mercury (Hg)                                                     | mg/kg | < 0,0010                                                                                                                                         |

Test report authorized by:  
ID: 295, Analysis Expert, Spectrometry Laboratory  
ID: 396, Analysis Expert, Sample Homogenization and Physical Analysis Section  
ID: 492, Analysis Expert, Sensory Analysis Laboratory

## TEST REPORT NO 193828/26/GDY

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

---

THE END OF THE REPORT