

TEST REPORT NO 306015/26/GDY

Client ARONIA CHARLOTTENBURG SRL 2 Ap. BIR. 2 307073 CHARLOTENBURG ordered by: J.S. HAMILTON ROMANIA SRL Street Sfântul Iosif, Number 7 307160 Dumbravita		Sample (according to declaration of Client) Sample description: BACTOBRAIN DATA FABRICATIEI: 01.2026 DATA EXPIRARII: 01.2029 NUMAR LOT: C260025 DATA RECOLTARII: 01.04.2026 CANTITATE RECOLTATA: 375 G CANTITATE RECEPTIONATA: 380 G DATA RECEPTIEI PROBEI IN LABORATORUL DIN ROMANIA: 01.04.2026 ORA RECEPTIEI PROBEI: 16:00 DATA INREGISTRARII PROBEI: 02.04.2026 TEMPERATURA PROBEI LA RECEPTIE: 4°C RESPONSABIL PRELEVARE: LEILA-MARIA ZABLAU NUMAR COMANDA CLIENT/ DATA COMANDA CLIENT: -/01.04.2026
Sample reception date	03.04.2026	Sample number: 306009/26/DUM
Start of analysis	03.04.2026	Sample status: no objections
End of analysis	14.04.2026	
Test report date	14.04.2026	
		Sample received from the Client

Test Method	Unit	Result
Organoleptic testing (1 assessor) PB-591 ed. I of. 05.05.2025		
Appearance before preparation	-	typical for the product, capsules aligned in terms of size; glossy surface, dry, inside the capsules visible powder
Colour before preparation	-	typical for the product, capsules- colourless; powder- beige, visible colourless crystals
Texture before preparation	-	typical for the product, capsules- flexible, slightly hard in places; powder- loose
Odour before preparation	-	typical for the product; without any foreign odours
* Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn)		
Number of yeasts	cfu/g	<1,0x10 ¹
Number of moulds	cfu/g	<1,0x10 ¹
* Number of coliforms at 30°C PN-ISO 4832:2007		
Number of coliforms	cfu/g	<1,0x10 ¹
Presence of Pseudomonas aeruginosa in 1 g Ph. Eur. 2.6.13.	in 1 g	Absent
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 10 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 10 g	Not detected
Presence of Salmonella spp. in 10 g Ph. Eur. 2.6.13.	in 10 g	Absent
* Presence of Escherichia coli in 10 g PN-ISO 7251:2006	in 10 g	Not detected

TEST REPORT NO 306015/26/GDY

* Net weight of 1 pcs PB-281 ed. IV of 11.01.2021	g	0,740 (min. 0,634; max. 0,825)
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,019
Arsenic (As)	mg/kg	0,021
Cadmium (Cd)	mg/kg	0,0061
Mercury (Hg)	mg/kg	0,0011

Test report authorized by:

ID: 106, Analysis Expert, Microbiology Laboratory
ID: 371, Senior Analysis Specialist, Spectrometry Laboratory
ID: 489, Analysis Expert, Sensory Analysis Laboratory
ID: 758, Analysis Expert, Authorization Section

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider

THE END OF THE REPORT