



HAMILTON

FOSFA
INTERNATIONAL



AB 079

TEST REPORT NO 237672/26/GDY

Client ARONIA CHARLOTTENBURG SRL 2 Ap. BIR. 2 307073 CHARLOTENBURG ordered by: J.S. HAMILTON ROMANIA SRL Street Sfântul Iosif, Number 7 307160 Dumbravita		Sample (according to declaration of Client) Sample description: GINKGO BILOBA DATA FABRICATIEI: 10.2025 DATA EXPIRARI: 10.2028 NUMAR LOT: GB20251015 DATA RECOLTARII: 16.03.2026 CANTITATE RECOLTATA: 675 CAPSULE CANTITATE RECEPTIONATA: 675 G DATA RECEPTIEI PROBEI IN LABORATORUL DIN ROMANIA: 16.03.2026 ORA RECEPTIEI PROBEI: 13:30 DATA INREGISTRARII PROBEI: 16.03.2026 TEMPERATURA PROBEI LA RECEPTIE: 18°C RESPONSABIL PRELEVARE: LELIA-MARIA ZABLAU NUMAR COMANDA CLIENT/ DATA COMANDA CLIENT: -/16.03.2026
Sample reception date	19.03.2026	Sample number: 237657/26/DUM Sample status: no objections Sample received from the Client
Start of analysis	24.03.2026	
End of analysis	30.03.2026	
Test report date	30.03.2026	

Test Method	Unit	Result
Organoleptic testing (1 assessor) PB-591 ed. I of. 05.05.2025		
Appearance before preparation	-	typical for the product; product on the given shape; product in the form of capsules; inside visible powder; aligned in terms of size; surface dry
Colour before preparation	-	typical for the product; light brown
Texture before preparation	-	typical for the product; slightly hard; flexible
Odour before preparation	-	typical for the product; without any foreign odours
* Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn)		
Number of yeasts	cfu/g	<1,0x10 ¹
Number of moulds	cfu/g	<1,0x10 ¹
* Presence of Escherichia coli in 10 g PN-ISO 7251:2006	in 10 g	Not detected
Presence of Salmonella spp. in 10 g Ph. Eur. 2.6.13.	in 10 g	Absent
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 10 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 10 g	Not detected
Presence of Pseudomonas aeruginosa in 1 g Ph. Eur. 2.6.13.	in 1 g	Absent
* Number of coliforms at 30°C PN-ISO 4832:2007	cfu/g	<1,0x10 ¹



TEST REPORT NO 237672/26/GDY

Net weight of 1 pcs ¹⁾ PB-281 ed. IV of 11.01.2021	g	0,627 (min. 0,614; max. 0,641)
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	< 0,010
Arsenic (As)	mg/kg	< 0,010
Cadmium (Cd)	mg/kg	< 0,0010
Mercury (Hg)	mg/kg	< 0,0010

1) Result outside the scope of accreditation.

Test report authorized by:

ID: 343, Analysis Expert, Microbiology Laboratory

ID: 371, Senior Analysis Specialist, Spectrometry Laboratory

ID: 492, Analysis Expert, Sensory Analysis Laboratory

ID: 548, Authorization Section Manager, Authorization Section

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider

THE END OF THE REPORT